

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Claim 1 (Currently Amended): An organic electroluminescent device, comprising:

a substrate;

a first electrode formed on the substrate;

an emission layer formed over the first electrode, the emission layer comprising a green emission layer formed in a first emission area, a red emission layer formed in a second emission area, and a blue emission layer formed in a third emission area;

a hole blocking layer formed over the green, red, and blue emission layers, the hole blocking layer being formed of substantially a same substance as that of the blue emission layer; and


a second electrode formed over the hole blocking layer,

wherein the green, red, and blue emission layers are substantially coplanar layers, and



wherein the hole blocking layer is formed of any one of a plurality of substances listed

below:

B-1





B-3





B-4

B-5





B-6

B-7





B-8

B-9






























B-10


B-11
















B-12









Claim 2 (Previously Presented): The device according to claim 1, further comprising:
a hole injection layer and a hole transport layer between the first electrode and the green, red, and blue emission layers.

Claim 3 (Previously Presented): The device according to claim 1, further comprising:
at least one of an electron transport layer or an electron injection layer between the hole blocking layer and the second electrode.

Claim 4 (Canceled).

Claim 5 (Previously Presented): The device according to claim 1, wherein at least one of the green emission area or the red emission area is formed of a phosphorescent substance, and the blue emission layer is formed of a fluorescent substance.

Claim 6 (Previously Presented): The device according to claim 1, wherein the blue emission layer is formed from a plurality of substances and wherein the hole blocking layer is formed from one of the plurality of substances forming the blue emission area.

Claim 7 (Canceled).

Claim 8 (Currently Amended): A method for fabricating an organic electroluminescent device, comprising:

forming a first electrode on a substrate;

forming a green emission layer in a first emission area over the first electrode;

forming a red emission layer in a second emission area over the first electrode;

forming a blue emission layer in a third emission area over the first electrode;


forming a hole blocking layer over the green, red, and blue emission layers by using a substance of the blue emission layer; and

forming a second electrode over the hole blocking layer, wherein the green, red, and blue emission layers are substantially coplanar layers,



wherein the hole blocking layer is formed of any one of a plurality of substances listed

below:

B-1





B-3





B-4

B-5





B-6

B-7





B-8

B-9

















B-10








B-11




B-12









Claim 9 (Previously Presented): The method according to claim 8, further comprising:
sequentially forming a hole injection layer and a hole transport layer between the first
electrode and the green, red, and blue emission layers.

Claim 10 (Previously Presented): The method according to claim 8, further comprising:
forming at least one of an electron transport layer or an electron injection layer between the hole blocking layer and the second electrode.

Claim 11 (Canceled).

Claim 12 (Previously Presented): The method according to claim 8, wherein at least one of the green emission layer or the red emission layer is formed of a phosphorescent substance, and the blue emission layer is formed of a fluorescent substance.

Claim 13 (Previously Presented): The method according to claim 8, wherein the blue emission layer is formed from a plurality of substances and wherein the hole blocking layer is formed from one of the plurality of substances forming the blue emission layer.

Claim 14 (Previously Presented): The device according to claim 1, wherein the hole blocking layer is formed directly on the green, red, and blue emission layers.

Claim 15 (Canceled).

Claim 16 (Previously Presented): The device according to claim 1, wherein the hole blocking layer is formed from Balq.

Claim 17 (Previously Presented): The method according to claim 8, wherein the hole blocking layer is formed directly on the green, red, and blue emission layers.

Claim 18 (Canceled).

Claim 19 (Previously Presented): The method according to claim 8, wherein the hole blocking layer is formed from Balq.












Claim 20 (Canceled).















Claim 21 (Canceled).














Claim 22 (Currently Amended): An organic electroluminescent device, comprising:








- a substrate;
- a first electrode formed on the substrate;
- a green emission layer formed in a first emission area, a red emission layer formed in a second emission area, and a blue emission layer formed in a third emission area;
- a hole blocking layer formed over the green, red, and blue emission layers, the hole blocking layer being formed from at least one of a plurality of substances forming the blue emission layer;
- and
- a second electrode formed over the hole blocking layer, wherein the green, red, and blue emission layers are substantially coplanar layers,














wherein the hole blocking layer is formed of any one of a plurality of substances listed below:











Claim 23 (Canceled).

Claim 24 (Previously Presented): The device according to claim 22, wherein the hole blocking layer is formed one of a plurality of substances forming the blue emission layer.

Claim 25 (Canceled).

Claim 26 (Previously Presented): The device according to claim 1, wherein the red and green emission layers are in contact with one another and the red and blue emission layers are in contact with one another.